Historic, Archive Document

Do not assume content reflects current scientific knowledge, policies, or practices.



62.25

PLANT A GARDEN FOR HEALTH AND ECONOMY



1950

Seed Catalog

Complete Line of Flower, Garden and Field Seeds, Insecticides, Fertilizers, Pet Animal Foods, Remedies

317 Wabash Ave. Terre Haute, Ind. Telephone C-2075

PARCEL POST RATES

On Seeds, Plants, Bulbs, Roots, Books, Tools, etc., within the U. S. and Possessions.

	First Pound or Fraction	Each 'Additional Pound or Fraction up to and in- cluding 10 lbs.
Local	10c.	1.0c
First and Second Zone within 150 miles of either	12c.	2.1c
Third Zone within 150 to 300 miles	13c.	3.0c
Fourth Zone within 300 to 600 miles	14c.	4.5c
Fifth Zone within 600 to 1000 miles	15c.	6.0c
Sixth Zone within 1000 to 1400 miles	16c.	7.5c
Seventh Zone within 1400 to 1800 miles	17c.	9.5c
Eighth Zone all over 1800 miles	18c.	11.5c
THE HALL WALL WAS A		

NOTE—A fraction of a cent in the total amount of postage on any parcel shall be counted as a full cent. Limit of weight for delivery to all zones 70 pounds; to Canada 15 lbs. If weight exceeds this, we will pack in 2 or 3 parcels (not more) provided money is remitted to cover postage. (Mark your Zone Number on order.)

All parcels under 8 ounces are carried everywhere regardless of zone rates at two cents for 2 ounces or fraction thereof, plus one cent for each additional ounce or fraction thereof up to 8 ounces. Above 8 ounces take parcel post rates.

Low Prices.—A matter of primary importance in buying seeds is to obtain only the best. Our position enables us to supply you with such seeds, and at prices to compete with all reliable seedsmen.

Good Order.—If seeds are not received in good order within a reasonable time, write us and we will look up the shipment. Small orders are often delayed in transit.

Cash.—Money must always accompany the order. Money may be sent safely either by Postoffice Order, Express Order, or Bank Draft. We will be responsible for the safe receipt of remittances sent by either of the above methods. We accept postage stamps the same as cash.

WARRANTY AND QUALITY OF SEEDS

While we exercise the greatest care to have all our seeds Pure, Reliable, and True to Name, we do not give any warranty, express or implied, as to description, quality, and productiveness, or any other matter, of any seeds we send out, and we will not be in any way responsible for the crop. If the purchaser does not accept the seeds on these terms, they are at once to be returned and the money that has been paid for same will be refunded.

SPRING CATALOG

A COMPLETE LINE OF FLOWER, GARDEN AND FIELD SEEDS, INSECTICIDES, FERTILIZERS, PET AND ANIMAL FOODS AND REMEDIES

QUINLAN'S SEED STORE

317 Wabash Ave.

Terre Haute, Indiana

TELEPHONE C-2075

Vegetable Planting Chart

Vegetable	Depth to Cover (inches)	Space Between Rows	Space to Set Plants or Thin Out Seedlings	Time Required to Produce Crop Ready for Use	Time to Plant in Open Ground North
Asparagus	Seeds, 1 in. Plants, 4 in.	3 to 4 ft.	12 in.	Plants 2 years Seeds 4 years	Early Spring
Beans Pole	2 in.	2 ft.	4 in.	60 to 90 days	M P T
(Limas, see below) Bush	2 in.	3 ft.	3 ft.	90 to 120 days	May & June
Beet	¹ / ₂ in.	18 in.	2 to 3 in.	60 to 80 days	April to Aug.
Pausas!	1/4 in.	2 ½ ft.	24 in.	120 days	
Brussels Sprouts	1/4 in.	2 ½ ft.	24 in.	120 days	May & June
Cabbage		2½ ft.	18 to 24 in.	100 to 150 days	Mar. to June
Chinese Cabbage	1/4 in.	2½ ft.	12 in.	80 to 100 days	
Carrot	½ in.	2 ft.	2 to 4 in.	45 to 60 days	April to June
Cauliflower		2 to 3 ft.	24 in.	120 to 150 days	April to June
Celery		3 ft.	6 in.	100 to 120 days	May & June
Corn, Sweet	2 in.	3 ft.	12 in.	80 to 120 days	May to July
Cucumber	½ in.	4 ft.	3 to hill	60 to 80 days	April to July
Eggplant		2 ½ ft.	24 in.	100 to 120 days	April & May
Endive	½ in.	2 ft.	_10 to 12 in.	60 to 80 days	April & July
Kale	½ in.	$2\frac{1}{2}$ ft.	12 in.	80 to 100 days	Aug. to Sept Mar. & Apr.
Leek	1/8 in.	2 ft.	4 in.	100 days	Mar. to May
Lettuce	1/8 in.	2 ft.	10 to 12 in.	45 to 60 days	Mar. to Sept.
Melon, Musk	½ in.	4 ft.	3 to hill	100 to 120 days	April to June
Pole	2 in.	3 ft.	24 in.	100 days	
Beans, Lima	2 in.	4 ft.	3 ft.	120 days	
Onions	½ in.	18 in.	4 in.	80 to 110 days	April to May
Onion Sets	1 in.	18 in.	2 in.	30 to 60 days	Autumn— Feb. to May
Peas	2 in.	2 ½ ft.	1 in.	60 to 100 days	Mar. to June
Pepper		3 ft.	2 ft.	100 days	May & June
Potatoes	4 in.	3 ft.	6 in.	100 days	Mar. to June
Potatoes, Sweet	3 in.	3 ½ ft.	2 ft.	5 mos.	May & June
Pumpkin	½ in.	4 to 6 ft.	3 to hill	100 to 120 days	May & July
Radish	½ in.	18 in.	1 to 4 in.	30 to 60 days	Mar. to Sept.
Rhubarb	6 in.	3 ft.	3 ft.	60 days	Early Spring
Rutabaga	½ in.	2 ft.	6 in.	90 to 100 days	May & June
Spinach	½ in.	18 in.	4 in.	60 days	Sept. or very early spring
Spinach, N. Zealand	1 in.	18 in.	3 in.	2 mos.	
Squash	½ in.	4 to 6 ft.	3 to hill	100 to 120 days	April to July
Swiss Chard	½ in.	2 ft.	12 in.	90 to 100 days	
Tomato		3 to 4 ft.	3 ft.	100 to 120 days	May to June
Turnip	½ in.	2 ft.	4 in.	60 to 80 days	April to Aug.
Watermelon	$\frac{1}{2}$ in.	6 ft.	4 to 6 ft.	3 to 4 mos.	

The time required for crops to reach edible size varies, of course, according to the seasons and varieties. Different soils also have a profound influence. A tomato, for instance, which in Southern New Jersey will mature in 90 days, may require from 100 to 110 days in sections further north having heavy clay soils. Allowance also must be made for the relative estimate of the yields, due to climatic and soil conditions. But the averages will be found to be fairly accurate on the basis of many years of observations.

ASPARAGUS.

An ounce of seed will sow 50 feet of drill, and produce about 300 plants. Fair crops may be expected the third year from seed.

Washington, Mary

The highest type of the rust-resistant asparagus. It is earlier, larger and longer than the original Washington and quite as resistant.

Tips are very tight and do not "sprangle out" or "blow" prematurely.

BEANS.—Dwarf or Bush.

Postage on all Beans to be paid by purchaser. See Parcel Post Rates Front Page.

Beans should not be planted before the ground becomes light and warm, in favorable seasons usually about the first of May. The soil should be rich and mellow, and the seeds scattered about 8 inches apart in drills that are to 2 to 2½ feet apart, and covered about 2 inches deep. Successive sowings, made at intervals of about two weeks until the middle of July, will give a plentiful supply of beans throughout the season. One pound of seed will sow 100 feet of drill.

GREEN PODDED SORTS

	Lb.	¼ Bu.	Bu.	Days
Black Valentine (Improved Stringless), Oval Dark Green Pod	.50	\$6.00	\$20.00	49
Bountiful Bean, Early Stringless, Flat Light Green Pod	.50	6.00	20.00	49
Full Measure, Very Early Round Stringless	.50	6.00	20.00	53
Giant Stringless Green Pod, Round Medium Green Pod	.50	6.00	20.00	53
Hopkin's Imp. Round Pod, Ex. Early Valentine, Red	.50	6.00	20.00	52
Horticultural Dwarf, Shell Bean	.50	6.00	20.00	54
Large Red Kidney, Shell Bean	.50	6.00	20.00	95
Plentiful	.50	6.00	20.00	51
Improved Bountiful type, stringless, long straight medium deep green pods. Shows a definite resistance to rust disease. Very productive.				
Refugee (1000 to 1), Round Stringless Green Pod	.50	6.00	20.00	70
Streamliner, Oval Dark Green Pod	.50	6.00	20.00	55
Stringless Green Pod, Round Dark Green Pod	.50	6.00	20.00	50
Tendergreen (New Stringless), Round Dark Green Pod	.50	6.00	20.00	51
Tennessee Green Pod, Flat Medium Green Pod	.50	6.00	20.00	50
White Kidney, Shell Bean	.50	6.00	20.00	95
White Marrow, Shell Bean	.50	6.00	20.00	100
White Navy, Shell Bean	.50	6.00	20.00	90
Yard Long	.50			

WAX PODDED BEANS.

	Lb.	¼ Bu.	Days
German Black Wax, Yellow Pod	.50	6.00	55
Improved Golden Wax, Yellow Pod	.50	6.00	51

POLE BEANS.

Less hardy than the Bush Beans, and should be planted several weeks later, when the ground is warmer. Plant the seeds in slightly raised hills 8 or 4 feet apart, 4 or 5 seeds to the hill. The Limas are especially tender, and the rule for late outside planting with them is rigid. Painstaking cultivators, who are usually the most successful, plant them eye downward, after setting stout poles for every hill. All sorts of late-ripening Pole Beans are benefitted by pinching the tips of the vines back when they are about 5 feet high. A pound will plant about 100 hills.

	Lb.	¼ Bu.	Days
Early Golden Cluster Wax, Yellow Pod	.50	6.00	74

POLE BEANS—Continued				
		Lb.	¼ Bu.	Deva
Horticultural or Cranberry, Shell Bean		.50	6.00	70
Kentucky Wonder, or Old Homestead		.50	6.00	65
Kentucky Wonder, of Old Homestead		.50	6.00	68
Lazy Wife, Thick Green Pod		.50	6.00	74
Missouri Wonder, Round Medium Green Pod		.50	6.00	66
		.50	6.00	72
Speckled Cut Short Corn Bean		.50	6.00	64
white Kentucky Wonder, Green Fod		.50	0.00	04
POLE LIMA BEANS.				
		Lb.	1/4 Bu.	Days
Extra Large Lima, Large Flat Bean		.50	7.50	88
King of the Garden, Large Flat Bean		.50	7.50	88
BUSH OR DWARF LIMA BEAN	NS.			
	Lb.	1/4 Bu.	Bu.	Days
Baby Fordhook, Small Thick Bean	.50	7.50	25.00	72
Burpee's Imp. Bush Lima, Large Plump Bean	.50	7.50	25.00	75
Fordhook, Thick Oval Bean	.50	7.50	25.00	75
Henderson's Bush Lima, Small Oval Bean	.50	7.50	25.00	65
Speckled, Small Flat Bean	.50	7.50	-25.00	73
BEETS. The soil best suited to the Beet is a deep, light and rich loam. For sown in hotbeds, and the seedlings are transplanted to the open ground. sown outside as soon as the soil is in good condition, in drills from 12 to about an inch deep; the plants are thinned to stand 4 or 5 inches apart sow seeds in June, in drills, as for early Beets. An ounce of seed will sow pounds will sow an acre.	For to 15 inc	main erop	t, and co	eed is
	OE.	1/4 lb.	Lb.	Days
Asgrow Wonder, (New Dark Red) round deep red root	.25	.50	1.50	57
Early Blood Turnip, bright red turnip root	.25	.50	1.50	68
Early Wonder, semi-globular dark purplish red root	.25	.50	1.50	58
Detroit Dark Red Turnip Beet	.25	.50	1.50	68
Mammoth Long Red, Stock	.25	.50	1.50	110
New Crosby's Egyptian, dark red flat globe root	.25	.50	1.50	60
Yellow Globe, Stock	.25	.50	1.50	102
BROCCOLI.				
			Os.	4 Oz.
Italian Green Sprouting A distinct variety, extensively cultivated by Italian gardeners. Plan large, solid head which remains green. When the central head is cut sprouts develop from the leaf axes, each sprout terminating in sheads, which are bunched for market.	t form	6 a	.50	1.50
BRUSSELS SPROUTS.				
			Oz.	4 Ox.
Half-Dwarf Improved Species of Cabbage; cultivation the same.			.50	1.50

ASK FOR QUANTITY PRICES

.50

CABBAGE.

Seed sown in hotbed or greenhouse about February 15 will give plants large enough to transplant into hotbeds about March 10. Set them 2 or 3 inches apart each way, and as soon as they become well established remove the glass for part of the day, to harden them for final transplanting into the open ground, increasing the exposure daily until April 10 or 20, when the final transplanting may be made. Plants for this early crop need not stand further apart than 1½x2 feet. For late crops, sow seeds in April or May, and transplant to the open ground when large enough, setting the plants up to the first leaf, and 2x3 feet apart. It is important that the plants should not stand thick in the seedbeds, as this would induce weak, slender plants.

One oz. to 1500 plants; 2 oz. to the acre.

2			_	_
All Head Early, early flat head	••••••		Oz. 50	Days 78
All Seasons, medium early round head. Yellow-resistant				87
Charleston Wakefield, early peaked head				74
Copenhagen Market, early round head. Yellow-resistant			.50	69
Danish Ballhead, late round head			.50	103
Early Dwarf Flat Dutch		•	.50	90
Early Jersey Wakefield, early peaked head		•••••	.50	63
Glory of Enkhuizen, early round head.		•••••	.50	77
Golden Acre, extra early round head				64
Improved American Savoy, early peaked head. Curly leaf				76
Jersey Queen, early peaked head. Yellow-resistant		••••••	.50	66
Mammoth Rock Red, round head			.50	100
Marion Market, medium early round head. Yellow-resistant			.50	79
Selected Flat Dutch, late			.50	100
Surehead, late flat head			.50	77
Wisconsin Hollander, early round head. Yellow-resistant			.50	105
CARROT.				
Carrots succeed best on heavy loam, which preferably should he previous year, as fresh manure often causes the roots to grow pronged as early in the spring as the ground can be prepared, firming the soil do One ounce of seed will sow 200 feet of drill; 2 pounds will sow an	and mi	sshanen. S	ertilized ow the	d the
	Oz.	1/4 lb.	Lb.	Days
Chantenay Half Long (The Model) Excellent medium early half-long stump rooted variety; roots about 6 inches long, very thick, smooth and of a deep orange-red color.	.25	.75	2.00	72
Danver's Half Long	.25	.75	2.00	-72
Long Orange	.25	.75	2.00	88
Nantes Improved Coreless	.25	.75	2.00	70
Oxhart	.25	.75	2.00	72

CAULIFLOWER.

Roots short and very thick.

Culture for Cauliflower and cabbages is essentially the same, but to the former extra care given in applying fertilizers and moisture well repays the gardener. Sow the seeds for early and late crops as directed for cabbage, but do not set the early plants in the open field too soon, for if too much stunted by severe frosts they begin to form heads before they are strong enough to develop them well. Plants which have not headed before winter sets in may be stored in a cool cellar or coldframe, and will form heads there without any further attention.

One oz. to 1500 plants: 2 oz to the sere

One	e 02. to 1500	Diants;	2 02. to	the acre.	Pkt.	1/4 Oz.	½ Oz.
Early	Snowball,	Dwarf			.10	.75	1.00

CELERIAC.

Sow in early spring; transplant the seedlings in May. They will be ready for cooking in October and may be preserved in dry sand for use during winter.

Oz.

ALL PRICES SUBJECT TO CHANGE WITHOUT NOTICE

Turnip Rooted Celery, used for celery flavor in soups.....

CELERY.

Celery can be grown on any garden soil, but is finest on deep, mellow bottom land. Seed for early crops should be sown in hotbeds about March 15. The plants may either be thinned to give them room to grow, or transplanted to another bed to grow until it is time to plant them in the open ground. For main crop, seed should be sown in the open air as soon as the soil and air are warm enough. They should be covered lightly, or merely pressed into the earth with a board if the soil is fine and mellow. The seedbed must be kept free from weeds and well watered in dry weather. When the plants are large enough, transplant them to shallow trenches or furrows from 4 to 6 feet apart, according to the variety grown, setting the plants 6 inches apart in the rows and pressing the soil firmly around them. One oz. to 10,000 plants.

them. One of the state of the s	Oz.
Celery Cabbage or Chinese Lettuce. Wong Bok, short variety Chihili, tall variety Giant Pascal, green garden variety	.50 .50
Golden Self Blanching, gold garden variety	.50 .50
COLLARDS.	Oz.
True Georgia Used as Greens. A non-heading type of cabbage.	.25

SWEET CORN.

Postage to be Paid by Purchaser. See Parcel Post Rates on Front Page.

The Sweet or Sugar varieties being liable to rot in the cold or wet ground, should not be planted before May, or until the ground has become warm, and for a succession continue planting every two weeks, until the middle of July, in rich, well-manured ground in hills three feet apart each way, covering about half an inch and then thin out three plants to a hill, or plant in rows four feet apart and to stand eight inches apart in the rows. One-quarter pound to 100 feet; 1 gallon to the acre.

	Lb.	1/4 Bu.	Bu.	Days
Adam's Early, ears 12-14 rowed, white	.50	5.00	18.00	7 2
Black Mexican, ears 8 rowed, white, black at maturity	.50	5.00	18.00	88
Country Gentleman, rows irregular, white	.50	5.00	18.00	95
Country Gentleman, Tows Irregular, white	.60			99
Early Evergreen, ears 16-18 rowed, white	.50	5.00	18.00	90
Early Mammoth, ears 12-16 rowed, white	.50	5.00	18.00	74
Golden Bantam, ears 8 rowed, yellow	.50	5.00	18.00	85
Golden Country Gentleman, rows irregular, yellow	.50	5.00	18.00	95
Golden Cross Bantam, ears 10-14 rowed, yellow	.60			85
Golden Evergreen, ears 10-16 rowed, yellow	.50	5.00	18.00	95
Golden Sunshine, ears 10-12 rowed, yellow	.50	5.00	18.00	72
Howling Mob, ears 12-16 rowed, white	.50	5.00	18.00	83
Late Mammoth, ears 10-18 rowed, white	.50	5.00	18.00	98
Shoe Peg, rows irregular, white	.50	5.00	18.00	95
Stowell's Evergreen, ears 16-20 rowed, white	.50	5.00	18.00	95
Stowell's Evergreen Hybrid, ears 16-18 rowed, white	.60			93
Whipples Early Yellow, ears 12-14 rowed	.50	5.00	18.00	87
Whipple's Early White, ears 14-18 rowed	.50	5.00	18.00	85

CORN SALAD.

Sow the seed thickly in shallow drills in September, and firm the soil well down above it, if the weather be dry. Highly appreciated, and much grown where other salads and lettuces do not succeed. An ounce of seed will sow a bed 20 feet square.

CRESS.

	Oz.
Curled or Pepper Grass	35
Used for salad; very pungent.	.00
True Water Cress	50
Delicious flavor; very wholesome.	.00

CUCUMBERS.

The seed can not be planted in the open ground before the weather has become warm and settled, and the ground mellow and light. Plant the seeds in well-enriched hills about 4 feet apart each way, and as soon as all danger from insects is over thin the plants to leave four of the strongest in each hill. One oz. to 50 hills: 1 pound to the acre.

	Oz.	1/4 lb.	Lb.	Days
A. & C. or Ace	.25	.75	3.00	65
New dark green slicing variety popular with shippers. Fruits average about 10 inches long by 2 ½ inches in				
diameter, straight and cylindrical. Vines robust and				
heavy yielders.				
Chicago Pickling, medium green, warted, small	.25	.75	2.50	59
Early Cluster, medium green, small		.75	2.50	55
Improved Long Green, deep green, warted	.25	.75	2.50	67
Japanese Climbing, black spined, deep green, long				58
Longfellow, dark green, long	.25	.75	2.50	70
Straight Eight, medium green, long	.25	.75	2.50	66
The Davis Perfect, dark green, long	.25	.75	2.50	65
West India Gherkin, Pickling, oval, pale green, prickled	.25	.75	2.50	60
White Wonder, white, large, clustered	.25	.75	2.50	60

EGG PLANT.

Sow the seed in hotbeds early in March, transplant to small pots and plunge them in the same beds; this is to make them strong and stocky. They should not be planted out until May or June, when the weather becomes warm and settled, as cool nights and wet weather will check their growth. Set the plants in rows 3 feet apart each way and give them thorough cultivation, drawing the earth up to the stems when they are about a foot high. Repeated sowings are sometimes necessary, as the seed does not germinate freely without strong and uniform heat. One oz. to 2,000 plants.

		Oz.	Days
Black Beauty	0-10-10-00-0	.50	80

ENDIVE.

This is an important fall and winter salad. For early, the seed should be sown in April, in drills 15 inches apart, and the seedlings thinned to stand 12 inches apart in the rows. Sowings for the main crop may be made in June and July, as the vegetable is used principally in fall and winter. The inner leaves are blanched by tying the tips of the outer ones together, or by laying boards over the plants.

One-fourth oz. to 100 feet of drill.

	Oz.	¼ lb.	Days
Broad Leaf Batavian	.25	.75	92
Thick, slightly wrinkled; forming a loose head.			
Green Curled	.25	.75	95
White Curled	.25	.75	100

KALE.

One oz. to 2,000 plants; 1 pound to the acre.	Oz.	1/4 lb.	Lb.	Days
Dwarf German Green, deep green, broad leaves	.25	.60	1.50	55
Improved Siberian, deep green, large frilled leaves	.25	.60	1.50	65
Tall Curled Scotch, light green, deep leaves	.25	.60	1.50	60

KOHL RABI.

Very palatable when prepared for the table like turnips. If the weather is favorable the seed should be sown in April, in rows 18 inches apart, and the seedlings thinned to stand a foot apart. One-half oz. to 100 feet of drill.

	Oz.	1/4 lb.	Lb.	Days
Early Purple Vienna	.50	1.25	3.75	62
Early White Vienna	.50	1.25	3.75	55

1 lb. Brick .50

LEEK.

Used for seasoning soups and boiling with meats. The seed should be sown in hotbeds in early spring, and the seedlings transplanted later to the open ground, 8 inches apart, in rows from 12 to 15 inches apart. One-half oz. to 100 feet of drill.

Broad Scotch or London Flag

LETTUCE.

Seed for the first outdoor crop is usually sown in hotbeds in February, and the seedlings transplanted to the garden in April, 8 to 12 inches apart, in rows 12 inches apart. For a succession until frost, sow in drills in the open ground at intervals of every two or three weeks, and thin the plants to stand 6 to 8 inches apart. For plants to force in hotbeds from November until spring, sow seed in hotbeds in the fall, and cover up as winter approaches, until the plants are required for use. Or the seed may be sown in hotbeds early in winter and the seedlings transplanted when large enough into fine and well-prepared garden soil. One-fourth oz. to 100 feet of drill; 2 pounds to the acre.

and well-prepared garden soil. One-fourth oz. to for feet of diff. 2 box	Oz.	½ lb.	Lb.	Days
Bibb	.25	$\hat{1}.00$	3.00	54
Big Boston, medium head, green tinted with red.	.25	.75	2.50	75
Black Seeded Simpson, large frilled leaf, yellow-green	.25	.75	2.00	46
Standa heat well.	0.5	5-	0.00	45
Early Curled Simpson, large leaf, yellowish-green	.25	.75	2.00	45
Good for forcing and out doors.	.25	.75	2.00	43
Grand Rapids, large curley leaf, light green	.20		2.00	10
Extra fine for forcing. Hanson, large head, yellowish-green	.25	.75	3.00	80
Stands drought and hot sun well.			0.00	0.4
Iceberg, large head, light green	.25	.75	3.00	84
The hardest heading variety of all.	0.5	.75	2.00	66
Paris White Cos, Trianon or Romain, dark green for poultry	.25		$\frac{2.00}{2.00}$	47
Prize Head, light green leaf, red edge	.25	.75	2.00	-31
Leaves frilled and blistered; very crisp. N. Y. or Wonderful	.25	1.00	4.00	80
A large late sort, cabbage heading variety, with large crumpled,	****			
dark green leaves. Similar to N. Y. cabbage.	~ =	4.00	4.00	. 05
Oak Leaf	.25	1.00	4.00	85
MUSHROOM SPAWN.				
MUSIII OOM SI AWA.		-4 33	D 1 1	F0

American Pure Culture Spawn

MUSKMELON. Muskmelon seed should not be planted outdoors until the ground has become warm and dry. The hills should be about 6 feet apart, and carefully prepared. Rich earth is far better for the young plants than manure; but if the latter must be used see that it is well rotted. Plant from six to twelve seeds in a hill, and when the young seedlings are strong enough to resist the attacks of insects, thin them, leaving three of the strongest in each hill. One oz. to 50 hills: 1 to 2 pounds per acre.

Oz. 1/4 lb. Lb. Days

	Os.	-⁄₄ ID.	LD.	Days
Banana, salmon flesh, banana shape	.25	.75	2.00	98
Burrell's Gem, pink-salmon flesh	.25	.75	2.00	90
Hale's Best No. 36, deep salmon flesh	.25	.75	2.00	82
	.25	.75	2.00	112
Honey Dew, emerald green flesh	.25	.75	$\frac{2.00}{2.00}$	81
Honey Rock, orange-salmon flesh		.75	2.00	90
Hoodo or Hearts of Gold, yellow flesh				30
Imperial No. 5, mildew resistant	.25	.75	2.00	05
Osage, orange-salmon flesh	.25	.75	2.00	95
Pollock, pink flesh	.25	.75	2.00	94
Pride of Wisconsin, orange flesh	.25	.75	2.00	90
Queen of Colorado, bright orange flesh	.25	.75	2.00	88
Rocky Ford, Colorado grown Netted Gem, green flesh	.25	.75	2.00	92
Sugar Rock, orange-salmon flesh	.25	.75	2.00	90
Tip Top, yellow flesh	.25	.75	2.00	90
Tip Top, yellow flesh	0			

MUSTARD.

The young and tender leaves of the mustard are greatly relished as salads or when cooked like spinach. The seed should be sown in shallow drills as early as the ground can be prepared in spring. One oz. to 50 feet of drill.

	Uz.	1/4 ID.	LD.	Days
Fordhook, bright green fringed leaf	.15	.40	1.25	60
Mustard Spinach	.15	.40	1.25	45
A Japanese plant of the Mustard family which has become popular				
with the gardeners for its extremely quick habit of growth, pro- ducing a marketable crop of excellent mild mustard greens in about				
four weeks from seed.				
Ostrich Plume, light green fringed leaf		.40	1.25	60
Southern Giant Curled, light green heavy leaf		.40	1.25	40
White, for seasoning	.15	.40	1.25	

OKRA.

The tender young pods are used for seasoning soups and stews. Sow the seeds thickly in rich soil about the middle of May, in drills 3 feet apart, and cover the seeds an inch deep. Two oz. to 100 feet of drill.

	Oz.	½ lb.	Lb.	Days
Dwarf Green, deep green pods	.15	.30	1.00	50
Perkin's Mammoth Green, deep green pods, tall				
White Velvet, white pods, early	.15	.30	1.00	60

ONION.

Onions thrive best on a rich, deep, loamy soil. For sets, the seeds should be sown very thickly in drills as early as possible in spring. In summer, as soon as the tops die down, harvest the bulbs and store them in a dry, cool place, spreading them in thin layers. Early in the following spring replant them 4 inches apart, in small drills 12 inches apart, and they will form into fine, large bulbs early in the season. Large Onions may also be grown from seed the first season if the land is strong and well manured, the seed sown thinly in drills a foot apart, and the seedlings thinned to stand 3 or 4 inches apart in drills; they must be well cultivated and kept free from weeds. Five pounds per acre will be required for large onions; for sets, 25 to 30 pounds.

One-half oz. to 100 feet of drill.

	Oz.	¼ lb.	Lb.	Days
Extra Large Red Wethersfield, medium large, flat	.50	1.50	5.00	100
Mammoth Prizetaker, Yellow, large globe	.50	1.50	5.00	105
Southport Large White Globe	.50	1.50	5.00	110
Southport Large Red Globe	.50	1.50	5.00	110
Sweet Spanish, White, large round	.50	1.50	5.00	110
White Silverskin or Portugal, medium, thick-flat	.50	1.50	5.00	100
Yellow Bermuda, medium, flat	.50	1.50	5.00	98
Yellow Globe Danvers	.50	1.50	5.00	100

PARSLEY.

Much used for garnishing and flavoring soups, stews, etc. The seed in slow to germinate, and should be sown as early as possible, in drills 12 inches apart, thinning plants in rows 4 to 6 inches apart. One-half oz. to 100 feet of drill.

apartic one man out to the arms	Oz.	1/4 lb.	Lb.	Days
Moss Curled. Finely cut and curled for garnishing				
Plain, for flavoring			2.00	

PARSNIP.

Sow the seed in drills 15 inches apart as early as possible in spring, and thin the plants until they are 5 or 6 inches apart in the rows. The roots are much improved by frost; to be dug up as required. On the approach of cold weather, cover them heavily with manure or litter. Deep, rich, heavy soil is best suited to the culture of Parsnips, and the roots will be smooth and large if no fresh manure is used, as this tends to make them coarse-grained and misshapen. One-half oz. to 50 feet of drill; 8 pounds to the acre.

	Oz.	¼ lb.	Lb.	Days
Large Hollow Crown Sugar	 .30	.60	1.75	95

PEAS.

Postage to be Paid by Purchaser. See Parcel Post Rates on Front Page.

Peas succeed in light, dry, loamy soil. Early and dwarf sorts require richer soil than the late varieties. If manure is used let it be old and well rotted, or there will be a rank growth of vines with few pods. Sow the early, smooth, round sorts as early in spring as the ground can be worked. Seeds of wrinkled varieties are more liable to rot if the ground is cold and must be planted later. Sow all the varieties quite early and depend for succession upon the different times of ripening of the various sorts, or from the first sowing sow every two weeks until June for a succession. One-half pound to 100 feet; 2 bushels to the acre.

	LID.	74, Du.	Du.	Days
A 171 % N 21	.50	6.00	20.00	57
The very earliest and best blue pea. Height, 2 ft.				
American Wonder	.50	6.00	20.00	61
Well known and very popular. Height, 1 ft.		A ~1.	for P	
Black Eyed		ASK	i or P	rices

PEAS.—Continued

	Lb.	¼ Bu.	Bu.	Days
Champion of England, Pole	.50	6.00	20.00	80
Chicago Market Wrinkled variety; height 2½ ft.; about one week later than Gradus.	.50	6.00	20.00	62
First and Best	.50	6.00	20.00	58
Gradus, or Prosperity One of the earliest of wrinkled varieties: large pods. Height, 2½ ft.	.50	6.00	20.00	65
Laxtonian	.50	6.00	20.00	63
Large, full pods; fine quality. Height, 1½ ft. Laxton Progress	.50	6.00	20.00	62
Few days earlier than Laxtonian. Vines 18 inches tall, pods 4 inches long. A valuable new variety.	50	0.00	20.00	0.4
Vine strong and vigorous, about 18 inches tall. Showy pods about 3 to 3½ inches long, blunt ended. Seed large, green, wrinkled. A very fine productive, dwarf, sturdy variety.	.50	6.00	20.00	64
Luscious Sugar, Edible pods. Height, 4 ft.	.50	6.00	20.00	74
McLean's Little Gem Very prolific; a garden favorite. Height, 1 ft.	.50	6.00	20.00	64
Nott's Excelsior An improvement on American Wonder. Height, 1 ft.	.50	6.00	20.00	62
Telephone, Pole	.50	6.00	20.00	80
Thomas Laxton Similar to Gradus only a few days later.	.50	6.00	20.00	62
World's Record An improved type of Gradus, being slightly earlier, more dwarf, true to type and productive. Height 2½ feet. Vines moderately	.50	6.00	20.00	5 7
stout, medium green, pods medium green, 4 in. long, very broad, pointed and well filled with 7 to 8 very large, dark green peas of exceptional quality.				

PEANUT.

Make rows two or more feet apart, and drop seed eight inches apart. Matures very early,	and
may be planted after oats in July.	Lb.
Virginia	.50

PEPPER

Sow in hotbed as early as April, and transplant to rich, warm, mello has become warm and settled, setting them about 2 feet apart in drills	ow soil, 3 feet	as soon as apart. One	the we oz. to	1.500
plants.	Oz.	½ lb.	Lb.	Days
Bull Nose or Bell, 4 lobed mild	.50	1.75	6.00	64
California Wonder, Crimson Fruit, 4 lobed, mild and sweet	.50	1.75	6.00	75
Cavenne	.50	1.75	6.00	70
Fruit long, hot and pungent.	F 0		0.00	25
Long Hungarian (Yellow or Banana), early, hot	.50	1.75	6.00	65
Long Hungarian (Yellow or Banana), early, sweet	.50	1.75	6.00	65
Pimento, heart shaped, mild and sweet	.50	1.75	6.00	. 73
Red Chili	.50	1.75	6.00	82
Small and prolific. Used for pepper sauce. Hot.				
Ruby Giant, and Chinese Giant, 4 lobed, mild and sweet	.50	1.75	6.00	75
Largest of all. Red.	F0	4 88	0.00	00
Ruby King, 3 lobed	.50	1.75	6.00	68
Fruit very large; bright red color. Very mild. Sunnybrook	.50	1.75	6.00	73
A tomato-shaped sweet, red pepper of much merit. Fruit smooth,	.00	1.10	0.00	10
upright, 8 in. in diameter by 2½ in. in depth with thick flesh;				
moderately early.	50	1 75	0.00	70
Sweet Golden Queen, 3 lobed, mild and sweet	.50	1.75	6.00	78
Sweet Mountain	.50	1.75	6.00	73
Large; square shaped and mild. Worldbeater, 4 lobed, mild and sweet	.50	1.75	6.00	75
Wildbeater, A lobed, mild and Sweet	.00	1.10	0.00	10

ASK FOR QUANTITY PRICES

DOD	CORN.
LUL	CURIN.

Golden Queen, large eared, 12-16 rowed	Days 90
Japanese Hulless, short eared, 18 rowed, white Ask for Prices	85
South American, large eared, 12-14 rowed, yellow	90
White Rice, medium eared, 10-16 rowed	90

PUMPKIN.

Grown principally for stock-feeding, yet some are so sweet, juicy and fine-grained that they will always be considered indispensable for pies and sauces. The vines require the same culture as that recommended for melons, but the seeds must be planted in hills much wider apart; frequently they are planted among corn. A pound of seed will plant from 200 to 300 hills. One to two pounds to the acre.

Cushaw, Golden Similar to White Cushaw, except in color of shell, which is golden yellow.	Oz. .15	14 lb .50	Lb. 1.50	Days 112
Cushaw, Striped	.15	.50	1.50	112
Cushaw, White	.15	.50	1.50	110
Japanese Pie, crookneck, flesh deep yellow	.15	.50	1.50	110
Small Sugar, round fruit, bright orange color	.15	.50	1.50	108
Sweet Cheese or Kentucky Field, round fruit, deep yellow color	.10	.40	1.00	120

RADISH.

Sow in sheltered spot, the earth being deeply dug, highly fertilized, and raked free from clods and stones. Radishes grown on poor, thin soil cannot be made good; they will be misshapen and tough. To be good they must be grown quickly. Radishes can be forced by covering with a window or a sash. One oz. to 100 feet of drill; 10 to 15 pounds per acre.

	Os.	1/4 lb.	Lb.	Days
Celestial, or White Chinese	.15	.50	1.00	60
Best for fall; very large white radish. Round root.		***	2.00	00
China Rose Winter, long root, white flesh	.15	.50	1.00	52
Cincinnati Market, long root, red skin, white flesh	.15	.50	1.00	28
Crimson Giant	.15	.50	1.00	28
Early Scarlet Turnip Forcing White Tip	.15	.50	1.00	26
French Breakfast, oblong root, scarlet with white tip	.15	.50	1.00	25
IcicleLong, smooth, white forcing radish.	.15	.50	1.00	27
Long Black Spanish Winter, white flesh	.15	.50	1.00	58
Round Black Spanish Winter, white flesh	.15	.50	1.00	56
Scarlet Globe	.15	.50	1.00	24
White Strasburg, long white root	.15	.50	1.00	39

RHUBARB.

Sow the seed early, and when the plants are large enough thin them to 4 or 5 inches apart. The next spring or fall transplant them 3 feet apart each way in deep, rich soil. For forcing, take up some large roots and place them in a dark corner of the cellar or greenhouse. Two oz. to 100 feet of drill.

Victoria	30	.85	Lb. 2.50

SALSIFY, OR OYSTER PLANT.

when cooked, the roots have something of the flavor and odor of oysters. They may be boiled, used in soups, or grated and fried as fritters. Culture the same as for parships and carrots. Roots are perfectly hardy, and may be left in the ground all winter. A quantity of roots for winter use may be stored in a pit or in sand or damp earth in a cellar. One oz. to 100 feet of drill.

Mammoth Sandwich Island	1.50	Lb. 4.50
-------------------------	------	-------------

SPINACH.

One of the most important crops grown for greens, and may be had in good condition from very early in the spring until cold weather. For early use sow very early in spring, and for succession at intervals. The main crop for spring and winter use should be sown in September and the plants covered for winter.

One-half oz. to 100 feet of drill: 6 to 8 pounds to the acre.

One have our to avv - our to ave - our to av	Oz.	1/4 lb.	Lb.	Day:
Bloomsdale Savoy, large crumpled dark green leaves	.10	.25	.75	42
Long Standing, large crumpled dark green leaves	.10	.25	.75	42
New Zealand small thick dark green leaves	.25	.75	2.00	70

SQUASH.

Seeds should not be planted in spring until all danger of frost is past. Plant in hills 5 feet apart for bush varieties and 6 to 8 feet apart for running sorts, putting 6 to 8 seeds to the hill, finally leaving but 3 plants.

One-half pound to 200 or 800 hills; 2 to 3 pounds per acre.

	Oz.	1/4 lb.	Days
Acorn, vine, Fall type	.20	.50	100
Banana Squash, vine, Fall type	.20	.50	105
Boston Marrow, similar to Hubbard, vine, Fall type	.20	.50	100
Delicious, vine, Fall type	.20	.50	100
Early Yellow Bush Scallop, Summer type	.20	.50	58
Early White Bush Scallop, Summer type	.20	.50	56
Golden Hubbard, vine, Fall type	.20	.50	100
Green Cocozelle, bush, Summer type	.20	.50	63
Italian Marrow, vine, Fall type	.20	.50	97
Straight Neck, bush, Summer type	.20	.50	50
Summer Crook-Neck, bush, Summer type	.20	.50	52
Sweet Potato, vine, Fall type	.20	.50	100
Warty Hubbard, vine, Fall type	.20	.50	110
Zucchini, bush, Summer type	.20	.50	62

SWISS CHARD, SILVER OR SEA KALE.

Grown exclusively for its leaves, which can be used and	Oz.	¼ lb.	Lb.	Days
served like Spinach. Cultivation same as Beets		.75	1.50	50
Rhubarb Chard	.50	1.50	6.00	60

TOBACCO

Sow the seed in plant bed in March. Transplant when five or six leaves appear. Set in rows 3½ feet apart, 18 to 20 inches apart in the row, according to variety. When the bud appears, break off the top, leaving 16 leaves to mature. Keep off all suckers growing from the stem. When the leaves have become waxy and brittle it is ripe. Cut and hang the stock in a shed to dry.

		Oz.	⅓ lb.	$\mathbf{L}\mathbf{b}.$
White Burley	***************************************	.40	.75	2.00

TOMATO.

As the plants advance in growth support them by brushwood. To have the Tomato very early it is necessary to start the plants in a hotbed, or they may be reared in a flower pot in a window and subsequently transplanted. Plants for an early crop should be raised under glass. For intermediate crop they may be raised on outside beds. For late crops the seed may be planted in permanent position.

One oz. to 2,500 plants; 2 ozs. to the acre.

		½ lb.		Days
Bonny Best, A good forcing variety	.60	1.75	5.50	73
Very early; vigorous and productive; color scarlet.		2.10	0.00	, 0
Break O'Day, orange-red round fruit	.60	1.75	5.50	70
Crimson Cushion (Beefsteak or Enormous)	85	2.50	7.50	
The largest of the bright red tomatoes: really a Red Pondayore	*00	2.00	1.00	00

ASK FOR QUANTITY PRICES

TOMATO—Continued				
Dwarf Champion	Oz. .60	$1.75^{1/4}$ lb.	1 lb. 5.50	Days 86
Early Detroit		1.75	5.50	80
Golden Ponderosa Largest of the yellow tomatoes and similar to Ponderosa except in color of fruit.	.85	2.50	7.50	89
Golden Queen Yellow; ripens early: is large size, smooth and solid.	.85	2.50	7.50	84
Greater Baltimore, Indiana Strain	.60	1.75	5.50	79
A very early, large red variety of fine quality.	.60	1.75	5.50	70
Jubilee A large, globular, smooth, bright golden-orange variety. Interior meaty, thick walled, with few seed.	.85	2.50	7.50	80
June Pink, earliest pink		1.75	5.50	69
Marglobe Certified, deep red, round, smooth	.60	1.75	5.50	77
Oxheart, heart-shape, rough, pink	1.25	4.50	10.00	90
Ponderosa		2.50	7.50	88
The largest tomato grown; rich crimson; solid flesh.				
Pritchard or Red Topper, round, light scarlet	.85	2.50	7.50	76
Red Pear	.85	2.50	7.50	73
Red Plum Fruits oval, 2 inches long, plum shape, for preserves.	.85	2.50	7.50	73
Rutger, bright red, round, smooth	.60	1.75	5.50	86
Spark's Earliana	.60	1.75	5.50	66
Very early; bright red, smooth and of good size and excellent flavor.	.00	1.10	0.00	00
Scarlet Dawn, early Red	.60	1.75	5.50	70
The Stone Very large and smooth; ripens evenly bright scarlet.	.60	1.75	5.50	92
Yellow Pear	.85	2.50	7.50	73
Fruit 2 inches long, pear formed for preserves.	****	2.00	1.00	10
TURNIP.				
For early, sow as soon as the ground can be prepared, in drills 15 in to stand 8 inches apart. Sow for succession at intervals of two weeks used to the stand a standard with the last of Annual transfer of two weeks used to the standard with the last of Annual transfer of two weeks used to the standard with the last of Annual transfer of two weeks used to the standard with the last of Annual transfer of two weeks used to the standard with th	ntil tha	lost mode	i T1	
TIOM that time onward until the last of Alighst sow for main cron The	COTHINGS	should al	L -	
just before a rain, if possible, as the success of the crop depends, in germination and rapid growth of the young plants. One oz. to 300 feet o	a great	t measure I pound t	e, upon	quick
	Oz.	¼ lb.	Lb.	Days
American Purple Top Ruta Baga, round Extra Early White Milan, flat	.15	.50	1.25	90
Early Purple Top Milan, flat	.15 $.15$.50 $.50$	$1.25 \\ 1.25$	42
Red, or Purple Top Strap Leaf, flat	.15	.50	1.25	42 46
Red Top White Globe, round	.15	.50	1.25	57
Seven Top, grown for greens	.15	.50	1.25	
WATERMELON.				
Secure good strong vines early in the season by making the hills I with the manure placed so that they will not dry out quickly under he from insects should be given the young plants and as protection from				
dust sprinkled over the leaves. Plant the seeds thickly, and thin the pin each hill.				
One oz. to 50 feet of drill; 1 to 2 pounds to the acre.	Oz.	1/ 11.	* 1	
Blacklee New Wilt Resistant. Long oval, fine texture, very symmetrical. Flesh brilliant red, seeds black. Good shipper and keeper.	.35	1.00 1.00	3.0 0	Days 85
Cuban Queen, round striped Dixie Bell or Stone Mountain, Wilt Resistant, round green	.25	.50	1.50	90
Dixie Queen, round striped melon. Seeds very small and white	$.25 \\ .25$.50	1.50	90
Early Kansas, round striped melon well suited for shipping	.25	1.00 $.50$	$\begin{array}{c} 4.00 \\ 2.00 \end{array}$	85
Seeds buff color.			4.00	80
Halbert's Honey, long green		.50	2.00	82
Hawkesbury, Wilt Resistant, long striped	135	1.00	4.00	85

.

WATERMELON—Continued

Kleckley Sweet, Wilt Resistant, long green	Oz. .25	¼ Lb50	Lb. 1.50	Days 85
Klondike, Wilt Resistant Strain, long green, Black seed	.25	.60	2.50	80
Wilt Resistant, green, flesh solid deep red. Seeds small and vary in color from tan to black. Weighs 25 pounds and measures 14 by 10 inches.	.25	.60	2.50	80
Klondike, Striped No. 11 Flesh deep red, rind light green prominently striped with dark green. Seeds small, varying from white to black in color. Weighs 25 pounds and measues 14 by 10 inches.	.25	.60	2.50	80
Monte Cristo, long green	.25	.50	1.50	85
Rattlesnake, long striped	.25	.50	1.50	90

HERBS.

Anise—Seeds used for flavoring
Chicory—Large rooted—The dried leaves are roasted and mixed with Coffee or
used as a substitute
Chives—Used for seasoning
Coriander—Seeds used for flavoring
Dill—Used for flavoring Pickles
Lavender—Leaves very fragrant
Rosemary—Leaves very fragrant
Sage—A highly aromatic Herb, most useful of all.
Savory, Summer—Used as a seasoning
Savory, Winter—Used as a seasoning
Sorrel-Large leaved, French-Used as a Salad or cooked as Greens
Sweet Basil—Leaves used for flavoring
Sweet Marjoram—Used as a seasoning
Thyme—Used as a seasoning
•

Bermuda Onion Plants Onion Sets Rhubarb Roots Asparagus Roots

Prices on application.

PLANTS.

In Season

VEGETABLES


Tomato Cabbage Pepper Sweet Potato

FLOWER

Aster Salvia Snapdragon Zinnia Petunia Verbena Marigold Phlox Alyssum

Hardy Chrysanthemum

ASK FOR PRICES








ZINNIA

FLOWER SEED AND SUPPLIES

	Pkg.
Ageratum, Blue, Dwarf	.10
Ageratum, Fairy Pink	
Ageratum, Midget Blue	
Alyssum, Dwarf, Violet Queen	
Alyssum, White	.10
Alyssum, Yellow	.10
Amaranthus Tricolor Splendens	.10
Antirrhynum	
Varieties, Red .20 pkg. Pink .20 pkg. Yellow .20 pkg. Purple .20 pkg.	
Bronze .20 pkg. White .20 pkg.	10
Antirrhynum, Mixed	.10
Antirrhynum, Tetraploid, Mixed	
Aster, Ballet Queen, Salmon Rose	.10
Aster, Crimson, American Branching	.10
Aster, Peach Blossom, American Branching	.10
Aster, White, American Branching	.10
Aster, Crego, Deep Rose	.10
Aster, Crego, Light Blue	.10
Aster, Crego, Mixed	
Aster, Crego, Purple	
Aster, Giant Comet	.10
Aster, Princess, Wilt Resistant, Finest Mixed	.10
Aster, Wilt Resistant, Mixed, American Branching	.10
Balsam (Lady Slipper)	.10
Balsam, Bush, Mixed	.10
Bellis Perennis, Dwarf English Daisy	.25
Calendula, Yellow	.10
Calliopsis, Yellow	.10
Candytuft, Mixed and White	.10
Canterbury Bells, Cup and Saucer, Mixed	.10
Carnation, Hardy, Mixed	.15
Carnation, Marguerite	
Celosia, Cristata	
Cockscomb, Fine Feathered Mixed	
Cockscomb, Dwarf, Mixed	.10



DOUBLE PETUNIA



MIXED LARKSPUR

FLOWER SEED AND SUPPLIES—Continued

	Pkg.
Centaurea (Bachelor Button) Blue, Double	.10
Centaurea (Bachelor Button) Double Mixed	.10
Centaurea, Jubilee Gem, Blue	.10
Cleoma, Pink and Yellow	
Coleus	.25
Columbine, Aquilegia, Mixed	.10
Columbine, Crimson Star	.25
Coreopsis, New Gold, Double	.10
Cosmos, Double Crested, Mixed	
Cosmos, Extra Early Single, Mixed	.10
Cosmos, Orange Flare	
Cosmos, Radiance. Deep Rose and Crimson	.25
Chinese Woolflower, Scarlet	.10
Daisy, Pyrethrum Roseum	
Daisy, Shasta (White)	.10
Dahlia, Double, Mixed	
Dahlia, Unwin Dwarf Hybrid, Mixed	.15
Delphineum, Dark Blue	.15
Delphineum, Hybrid, Mixed	
Delphinium, Mixed	
Forget-Me-Not, Alpestris Blue	.10
Forget-Me-Not, Chinese	.10
Four O'Clock, Mixed	.10
Euphorbia (Snow on the Mountain)	.10
Fox Glove (Digitalis) Mixed	.10
Gaillardia, Dazzler	.10
Gaillardia (Blanket Flower) Mixed	.10
Geranium, Double, Mixed	.15
Gomphrena (Globe Amaranth) Mixed	.10
Gypsophila, Pink, Annual	.10



SCARLET O'HARA MORNING GLORY



ZINNIA FANTASY WILDFIRE

FLOWER SEED AND SUPPLIES—Continued

	Pkg
Gypsophila, White, Perennial and Annual	
Heuchera (Coralbell)	
Hibiscus, Mixed and Red	
Hollyhock, Double, Mixed	
Lantana, Mixed	
Larkspur, Carmine King	
Larkspur, Miss California, Pink	
Larkspur, Double, Mixed	
Lupin, Mixed	
Marigold, African Yellow Supreme	1
Marigold, Crown of Gold	1
Marigold, Flash, Dwarf Single French	
Marigold, French Double, Mixed	
Marigold, French Dwarf, Harmony Hybrids	
Marigold, Mammoth Mum, Chrysanthemum Flowered	
Marigold, Naughty Marietta, Dwarf, Single French	
Marigold, Red Head	
Marigold, Sunset Giant	
Matricaria (Feverfew)	
Mexican Fire Bush (Kochia)	
Mignonette, Green and White	
Nasturtium, Dwarf, Mixed, Single	
Nasturtium, Dwarf, Mixed, Semi-Double Gleam Hybrids	
Nasturtium, Tall, Mixed	
Nicotiana (Flowering Tobacco) Mixed, Purple and White	
Pansy, Giant Trimardeau, Mixed	
Petunia, Balcony, Crimson, White and Blue, Pink.	

FLOWER SEED AND SUPPLIES—Continued

	PKg.
Petunia, Celectial Rose	
Petunia, Double, Mixed	.25
Petunia, Dwarf, Miniature Rose Gem	.10
Petunia, Flaming Velvet, Red	.10
Petunia, Fringed, Mixed	
Petunia, Heavenly Blue	
Petunia, Howard Star, Purple with White Throat	.10
Potunia Hollywood Star	
Petunia, Hybrid Exquisite, Mixed	
Petunia, Norma, Miniature Blue with White Star	
Petunia, Pink Sensation	
Petunia, Rose of Heaven, Pink	.10
Petunia, Rosy Morn, Pink	
Petunia. Violet King	.10
Phlox, Drummondi, Mixed	
Phlox. Hardy. Mixed	
Pinks, Chinese Double, Mixed (Dianthus)	.10
Pinks, Dianthus Heddensis	
Poppy, American Legion	.10
Poppy, California Yellow	.10
Poppy, Oriental, Orange Scarlet	.15
Poppy, Oriental, Scarlet	
Poppy, Oriental, Mixed	.15
Poppy, Shirley, Mixed, Single	
Poppy, Shirley, Double, Mixed	.10
Portulaca (Flowering Moss) Double, Mixed	.20
Portulaca (Flowering Moss) Single, Mixed	.10
Rock Garden Annuals, Mixed	
Rock Garden Perennial, Mixed	
Salpiglossis, Mixed	
Salvia Splendens (Flowering Sage) Red	.10
Salvia, Indigo Blue	.10
Salvia Splendens, St. John's Fire, Dwarf	.25
Scabiosa, Imperial Giants Blue Moon	.10
Scabiosa (Mourning Bride) Mixed	.10
Stock, Mixed	.10
Strawflower (Helichrysum) Mixed	.10
Sweet William, Double Hardy, Mixed	
Verbena, Annapolis Blue	
Verbena, Cerise Queen, Salmon	.15
Verbena, Crimson Glow	.10
Verbena, Flamingo, Pink	
Verbena, Lavender Glory	
Verbena, Mixed	4.6
Vinca (Madagascar Periwinkle)	
Viola Odorata, Mixed	
Wild Flower Garden	
Zinnia, Dahlia Flowered, Mixed	
	4.0
Zinnia, Creeping, Mixed	•±0

FLOWER S	SEED AND SUPP	LIES—Continued
Zinnia, Fantasy, Mixed	low	d, Yellow, Purple, Oriole
		•••••••••••••••••••••••••••••••••••••••
Zinnia, Scaboisa Bloom, Mixed	1	
	VINES.	
Ralloon Vine Love in a Puff		P
• • •		
•		
· ·		
The state of the s		
Q V ,		
Passion Vine	*******************	
Scarlet Runner		
		ed
Sweet Peas, Superior, Hardy M	lixed (Pink and White	2)
SPR	ING LILIES AND	BULBS
Amaryllis	Yellow Calla	Henryii
Tigrinum	Orange Triumph	Ismene
Rubrum	Umbellatum Regal	Auratum
	BULBS AND VINI	ES
Cannas, all colors		berose, double and single
Gladiolus, all colors	Ca	ladium (Elephant Ear) Green
Dahlias, all colors	Ca	ladium (Elephant Ear) Colored
Maderia Vine		
Tet A	LL LILIES AND	RIILRS
	LL LILIES AND	Grape Hyacinths
Tulips Narcissus		Hyacinth
Natcissus	Madonna Lilies	ary action
Scilla	mauvilla miles	Crocus
ASK	FOR QUANTITY	PRICES

FLOWER	POTS.		
2½ inch sizeask for prices	8 inch sizeask for prices		
4 inch sizeask for prices	9 inch sizeask for prices		
5 inch sizeask for prices	10 inch sizeask for prices		
6 inch sizeask for prices	12 inch sizeask for prices		
7 inch sizeask for prices			
Glazed Flower Pots and Saucers, red and green	Ask for prices		
Fancy Flower Pots and Saucers for Outdoor us	e		
PAPER FLOV			
2½ inch sizeask for prices	4 inch sizeask for prices		
3 inch sizeask for prices			
HANGING			
8 inch size	12 inch size		
10 inch size	Ask for Quantity Prices On All		
FOR POTTEI			
Burbanks Better Rooting	New Plant Life,		
Burbanks Flower Saver	Liquid Fertilizer		
Burbanks Vitamins	Ovene, Sheep Manure, Stick Form		
Fulton's Plantabbs10 and .25 Box	Plant and Tree Labels 10035, 1M-\$3.25		
Vigoro Tablets	Thank and Tree Labers 10055, 111-45.25		
Plant and Tree Labels with wire	es50 per 100 \$4.25 per 1000		
PEAT M	IOSS.		
Boxes	Full Bale 4.00		
FARM AND LAWN SEEDS AND SUPPLIES.			
FARM AND LAWN SEI	EDS AND SUPPLIES.		
COW P	EAS.		
Whippoorwill COW P	EAS. ed New Era		
Whippoorwill COW P FARM G	EAS. ed New Era		
Whippoorwill Mixe FARM G Prices subject to market char	EAS. ed New Era RAIN. age—Please ask for prices		
Whippoorwill Whippoorwill FARM G Prices subject to market char Atlas Sorgo20-30 lb per acre	EAS. d New Era RAIN. nge—Please ask for prices Millet Seed, German		
Whippoorwill Whippoorwill FARM G Prices subject to market char Atlas Sorgo	EAS. d New Era RAIN. nge—Please ask for prices Millet Seed, German		
Whippoorwill Mixe FARM G Prices subject to market char Atlas Sorgo20-30 lb per acre Balboa Rye60-90 lb per acre Brome Grass15-20 lb per acre	EAS. d New Era RAIN. nge—Please ask for prices Millet Seed, German		
Whippoorwill Mixe FARM G Prices subject to market char Atlas Sorgo	EAS. d New Era RAIN. nge—Please ask for prices Millet Seed, German		
Whippoorwill TARM G Prices subject to market char Atlas Sorgo	RAIN. age—Please ask for prices Millet Seed, German		
Whippoorwill FARM G Prices subject to market char Atlas Sorgo	RAIN. age—Please ask for prices Millet Seed, German		
Whippoorwill TARM G Prices subject to market char Atlas Sorgo	RAIN. age—Please ask for prices Millet Seed, German		
Whippoorwill Prices subject to market char Atlas Sorgo	RAIN. age—Please ask for prices Millet Seed, German		
Whippoorwill FARM G Prices subject to market char Atlas Sorgo 20-30 lb per acre Balboa Rye 60-90 lb per acre Brome Grass 15-20 lb per acre Broom Corn 5-6 lb per acre Buckwheat 48-60 lb per acre Grohoma 20-30 lb per acre Kaffir Corn 20-30 lb per acre	RAIN. age—Please ask for prices Millet Seed, German		
Whippoorwill FARM G Prices subject to market char Atlas Sorgo 20-30 lb per acre Balboa Rye 60-90 lb per acre Brome Grass 15-20 lb per acre Broom Corn 5-6 lb per acre Buckwheat 48-60 lb per acre Grohoma 20-30 lb per acre Kaffir Corn 20-30 lb per acre FARM S Prices subject to market char	RAIN. age—Please ask for prices Millet Seed, German		
Whippoorwill FARM G Prices subject to market char Atlas Sorgo 20-30 lb per acre Balboa Rye 60-90 lb per acre Brome Grass 15-20 lb per acre Broom Corn 5-6 lb per acre Buckwheat 48-60 lb per acre Grohoma 20-30 lb per acre Kaffir Corn 20-30 lb per acre FARM S Prices subject to market char Alfalfa, Common 15 lb-20 lb per acre	RAIN. nge—Please ask for prices Millet Seed, German		
Whippoorwill Prices subject to market char Atlas Sorgo	RAIN. age—Please ask for prices Millet Seed, German		
Whippoorwill FARM G Prices subject to market char Atlas Sorgo	RAIN. nge—Please ask for prices Millet Seed, German		
Whippoorwill FARM G Prices subject to market char Atlas Sorgo	RAIN. nge—Please ask for prices Millet Seed, German		
Whippoorwill FARM G Prices subject to market char Atlas Sorgo 20-30 fb per acre Balboa Rye 60-90 fb per acre Brome Grass 15-20 fb per acre Broom Corn 5-6 fb per acre Buckwheat 48-60 fb per acre Grohoma 20-30 fb per acre Kaffir Corn 20-30 fb per acre FARM S Prices subject to market char Alfalfa, Common 15 fb-20 fb per acre Alfalfa, Grimm 15 fb-20 fb per acre Alsike Clover Seed 6 fb-8 fb per acre Birdsfoot Trefoil 5 fb-6 fb per acre Blue Grass 14 fb per acre	RAIN. nge—Please ask for prices Millet Seed, German		
Whippoorwill FARM G Prices subject to market char Atlas Sorgo 20-30 lb per acre Balboa Rye 60-90 lb per acre Broom Grass 15-20 lb per acre Broom Corn 5-6 lb per acre Buckwheat 48-60 lb per acre Grohoma 20-30 lb per acre Kaffir Corn 20-30 lb per acre FARM S Prices subject to market char Alfalfa, Common 15 lb-20 lb per acre Alfalfa, Grimm 15 lb-20 lb per acre Alsike Clover Seed 6 lb-8 lb per acre Birdsfoot Trefoil 5 lb-6 lb per acre Blue Grass 14 lb per acre Kentucky 31 Fesque 10 lb-15 lb per acre	RAIN. Ige—Please ask for prices Millet Seed, German		
Whippoorwill Prices subject to market char Atlas Sorgo	RAIN. Ige—Please ask for prices Millet Seed, German		
Whippoorwill Prices subject to market char Atlas Sorgo	RAIN. age—Please ask for prices Millet Seed, German		
Whippoorwill Prices subject to market char Atlas Sorgo	RAIN. Ige—Please ask for prices Millet Seed, German		
Whippoorwill Prices subject to market char Atlas Sorgo	RAIN. age—Please ask for prices Millet Seed, German		

T.A	WN	GRASS	SEEDS.
	F A A T A		

Bent Grass		1 15 \$1.50	10 th \$14.00
Blue Grass	.85 10 lb .85	50 lb-100 lb	\$70.00 per 100
Chewings Fescue			
Mixed Lawn Seed1 lb	.75 10 lb .72½	50 fb-100 fb	\$65.00 per 100
Red Top1			
Shade Mixture	.85 10 fb .85	50 lb-100 lb	\$70.00 per 100
White Dutch Clover			

SEED CORN.

Certified Hybrid Seed Corn Large flat kernel

Johnson County White, 110 days Red Cob White, 90 days Reid's Yellow Utility, 100 days

SOY BEANS.

Illini

Lincoln

Edible

COMMERCIAL FERTILIZERS.

Ask for Prices-Prices Subject to Change Subject to Government Regulations.

Adco 25 lb

0-14- 7 80 lb 0-20- 0 80 fb

2-12- 6 80 lb

3-12-12 80 lb

6-8-680 fb

FERTILIZERS.

Ask for Prices-Prices Subject to Change

Aluminum Sulphate Ammonia Sulphate Bone Meal Dahlia Food Loma (5-10-4) Manganese Sulphate Milorganite	"Na-Churs" Liquid Rose Food	nate .			
GRAIN H	BAGS.				
New Grain Bags, 16 oz. Used Grain Bags, 16 oz.					
INOCULA'	TIONS.				
Nitrogen, for Cow Peas and Soy Beans Nodogen, for Alfalfa, Sweet Clover, Red and A Nodogen, for Lespedeza, Cow Peas, and Soy I Urbana Laboratories Inoculation (Jelly Form for All Clovers. Urbana Laboratories Inoculation (Jelly Form for Soy Beans. Urbana Laboratories Inoculation (Humus Form	Alsike Clover30 Beans	.50 .50	1.00 1.00	1.60	1.00
for Garden Seed.	11)				.19
SEED SO	WERS.				

ASK FOR QUANTITY PRICES

Seed Sowers

SPRAYERS AND DUSTERS.

Ask for Prices-Prices S	Subject to	Change
-------------------------	------------	--------

Ask for Prices—Prices Sub		
Arnold Improved Garden Hose Sprayer (Six Assor	ted Cartridges)	7.00
Feeney Dusters		
Flame Gun, Weed Burner Hozon, attachment for liquids		1.75
Justrite, 2 gallon compressed air sprayer	000000000000000000000000000000000000000	6.00
Justrite, 2 gailon compressed all sprayer		
1 pint Sprayers	**************************************	
1 quart Sprayers		
1 quart Continuous Sprayers		
2 gallon Compressed Air Sprayers		
Small Dusters		
Stauffer's Knapsack Duster		60
Weed-No-More Automatic Sprayers		•00
SPRAYING MATERIAL ANI Ask for Prices—Prices Sub		TS.
Acme Kopper Queen Mildew Spray		½ pint can .35
Acme Kopper Shield Pruning Paint	½ pint can .30	1 pint can .60
Activo, for compost heaps		1.00 2.00
Adco		25 lb. \$4.50
Aer-A-Sol Insecticide Bomb, DDT with Pyrethrun	1	2.00
Ammate, DuPont Weed Killer		
Arsenate of Calcium		
Arsenate of Lead		
Banol Insecticide		
"Black Leaf 40", good for Aphis and other insects	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	***********************
Black Leaf "155" with DDT		3 lb. box 1.75
Blue Vitriol (Copper Sulphate) Bulk		
Burbank Better Rooting		
Carbola, Disinfectant White Paint, 2% DDT		.85 1.50
Carbolineum		
Carbon Disulphide, for disinfecting Seed Wheat		
CCC Garden Dust 3% DDT and 6% Copper		
CCC Garden Dust 25% DDT and 31% Copper, we		
CCC Household Dust 10% DDT		
CCC Rotenone		
Ceresan, Grain Disinfectant		
Coal-Tar Disinfectant and Animal Dip		
1 qt. bottle .50 1 gal. bottle \$1.25		2 por 2 00000
Copper Dust		· · · · · · · · · · · · · · · · · · ·
Crabex Weed Killer, Crab Grass Killer		
Cyanogas, for fumigating Elevators, Warehouses,		
Cyanogas Ant Killer		

SPRAYING MATERIAL AND DISINFECTANTS—Cont'd.

Dauntless Fly Spray	.30
Ded-Tox No. 50W, 50% DDT	
Ded-Weed, 2, 4-D Weed Killer	
Dry Lime Sulphur, for dormant spray	
Dusting Sulphur	
Ever Green Spray, good for Aphis and Red Spider	
Fermate, for control of plant and tree disease	
Fish Oil Soap1 lb. can	.60
Fix, stops fruit and vegetable dropping	
Flit Fly Spray	1.75
Fruitone	
Fungi-Bordo, for fungus diseases and Anthracnose	
Hormodin, stimulates rapid root growth on cuttingsbottle	
Kryocide Garden Dust, D-50 with Sulphur	
Kryocide Garden Dust, C with Copper	
Kryolite Garden Dust	
Lime, Agricultural	
Liquid Lime Sulphur	
Magnesium Arsenate	
Mulsoid-Sulphur	
"Nico-Fume" 1 lb. Pressure Fumigator for greenhouses	
N. N. O. R., Liquid Rotenone	
Old Nick Seed Corn Treatment	1.25
Paradichlorbenzene, used for borers in orchards	
Para-Scalecide	
Paris Green	
Pestroy	
Pestroy Liquid 6% DDT	
Pestroy, 10% DDT, household use	
Pestroy Liquid 25% DDT	
Protexall Dust, DDT, Rotenone, Fermate and Sulphur mixed	
Puraturf, Selective Crab Grass Killer	
Quinlan's Bugicide	
Red Arrow Dust, Rotenone and Sulphur	
Red Arrow Garden Spray, good for Aphis and Red Spider	
Rotenone Dust, fine for bean beetle	
Rootone	
Semesan-Bel, Potato Disinfectant	
Semesan Jr., Corn Disinfectant	
Semesan, Seed Disinfectant	
Scalecide, for dormant spray, dilute in water at the rate of one gallon to 25 gal. of	
Selocide, good for Red Spider	
Sherwikil, 2, 4, 5-T and 2, 4-D	4.25
Sodium Selenate, P-401 lb. box	
Spra-Mulsion, for dormant spray, mix at the rate of 1 gallon to 20 of water	
Sulfocide, a summer spray oil, mix at the rate of 1 gallon to 100 of water	
Sulphur Dust	
Sulphur, Wettable	

SPRAYING MATERIAL AND DISINFECTANTS—Cont'd.

			_		
Transplantone			Boxes a	at .25 a	nd \$1
Tree Tanglefoot					
Tobacco Dust					
Tomato Dust					
Tri-Ogen, Rose Dust					
Tri-Ogen, Rose Spray		Boxes	at 1.35.	2.25 a	nd \$6
Weed-No-More, 2, 4-D Weed Killer			,		
weed-No-More, 2, 4-D weed Killer					
PET AND POULTRY REME	DIES	ANDS	TIPPLE	ES	
BIRD SEED AND				1215	
					:
Canary Seed					
Cuttle Bone				05	
Flax Seed					
Millet Seed, Red and White					
Mixed Bird Seed					
Rape Seed					
Sunflower Seed				10 lb.	2.50
Wild Bird Seed					
Bird Balm (For Bald Spots)					
Bird Baths					
Bird Shipping Cages					
Bird Treat Cups					
Bird Treat Health Balls					
Canary Cage Bird Swings					
Canary Cage Cups					
Canary Cage Gravel Paper, round and square					
Canary Cage Plastic and Wire Bird Nests		•			and
Canary Hand Feeders, for baby birds					
Canary Leg Bands					Doz.
Kaempfer's Big Kernel Birdolene (Song Restor	er)	*********			•••••
Kellog's Gravel, Brown					
Kellog's Petamine					
Kellog's Seedies		••••••			
Mrs. Halfin's Birdade					
Mrs. Halfin's Bird Nesting with Eggs					
Mrs. Halfin's Bird Rejuvenator (Song Restorer	:)	••••••			
Mrs. Halfin's Bird Tonic					
Mrs. Halfin's Bird Wash					
Mrs. Halfin's Cedar Bird Perches					
Mrs. Halfin's Color Food (Red and Yellow)					
Mrs. Halfin's Lice and Mite Powder					
Mrs. Halfin's Moulting Food					
Mrs. Halfin's Natural Fish Food					
Mrs. Halfin's Parokeet Mixture					
Mrs. Halfin's Parrot Tonic	• • • • • • • • • • • • • • • • • • • •			•••••	

PET AND POULTRY REMEDIES AND SU	UPPLIES—Cont'd.
Philadelphia Merican Salve	
Philadelphia Bird Bitters	
Philadelphia Bird Gravel (Red and Silver)	
Philadelphia Mite Powder	***************************************
Rex Wheat Germ Oil	***************************************
pratt's Bird Louse Powder in Bellows	
pratt's Cod Liver Oil Cage and Nestling Food	
pratt's Sing Song Bird Treat	-
pratt's Song Restorer	
Vest's Bird and Cage Wash	
Vest's Magnesian Grit	
Vest's Special Mating Food	
DOG AND CAT REMEDIES AND S	
At-Em Flea Killer, 10% DDT	
Brushes	
atnip, Loose	
Chaperone, Dog Repellent Powder, inside use	
haperone, Kitty Repellent Powder, inside use	
atnip Mice (For Cats)	
Disinfectant for Kennels	
	\$1.25 per Gallon
og Beds, Wicker, open front	
og Beds, metal, open front, red and green	
og Feeding Bowls, Double	
log Feeding Bowls, Spaniel	
Oogzix	
Dogzoff"	
'ehr's Ear Canker Remedy	
· · · · · · · · · · · · · · · · · · ·	
leischmann's Yeast for Dogs	
Ailler's Dog Soap	
Iiller's Dog Worm Capsules	
Irs. Halfin's Dog Soap	
Irs. Halfin's Dry Wash for Dogs	
Natural Bones	
Pervinal, Vitamins	
Culvex Flea Powder with DDT	
Culvex Flea Soap	
uivex sponge-Away (For Summer Eczema)	.60 1.00 2.25
uadine Concentrate	
uadine Liquid Soap	
Sex Wheat Germ Oil	
subber Toys, Bones and Animals	
cram, Dog Repellent Powder, outdoor use	
ergeant's Condition Pills	
ergeant's Laxative Capsules	
ergeant's Mange Medicine	
Sergeant's Puppy Capsules	
Sergeant's Sure Shot Capsules	
Spratt's Flea Soap	
Spratt's Liquid Dog Shampoo	
Spratt's Worm Cansules for Cats and Kittens	

DOG REMEDIES AND SUPPLIES—Cont'd	•	
Spratt's Worm Tablets for Dogs and Puppies		.10
Stripping Combs		
Trix, prevents male dog annoyance		1.00
"13", Kills fleas, lice, ticks on dogs and cats, liquid		1.00
DOG FOOD.		
Milk Bone Dog Biscuits, medium and large	pkt25 and	.50
Mrs. Halfin's Itsy Bitsy (Candy Substitute)		.50
Spratt's Assorted Dog Biscuit	pkt.	.50
Spratt's Cat Food	pkt.	.50
Spratt's Ovals, with Charcoal	pkt.	.50
Spratt's Ovals, without Charcoal		.50
Prices Subject to Chang		rices
Chappel's Ken-L-Worth		
Gaines Krunchon		
Gaines Milk and Meat Meal		
Hi-Spot Meal		
Miller's A-1 Meal		
Miller's Kibbles		05
Miller's Dog Food, Canned		.25
Spratt's Assorted Dog Biscuit	•	
GOLD FISH AND SUPPLIES. Common Fan Tail Black Moor and Chebunkin Fish from 15c.	to 25c each	
Common, Fan Tail, Black Moor, and Chebunkin Fish from 15c Aquarium 3.50	5.00 10.00	Pkt.
Common, Fan Tail, Black Moor, and Chebunkin Fish from 15c Aquarium 3.50 Aquarium Cement	5.00 10.00	Pkt. .60
Common, Fan Tail, Black Moor, and Chebunkin Fish from 15c Aquarium 3.50 Aquarium Cement Aquarium Ornaments and Shells	5.00 10.00	Pkt. .60
Common, Fan Tail, Black Moor, and Chebunkin Fish from 15c Aquarium 3.50 Aquarium Cement Aquarium Ornaments and Shells Bishop's Wafer Fish Food	5.00 10.00	Pkt. .60 .50
Common, Fan Tail, Black Moor, and Chebunkin Fish from 15c Aquarium 3.50 Aquarium Cement Aquarium Ornaments and Shells	5.00 10.00 .35 and .50 .75 and	Pkt. .60 .50 .15
Common, Fan Tail, Black Moor, and Chebunkin Fish from 15c Aquarium 3.50 Aquarium Cement Aquarium Ornaments and Shells Bishop's Wafer Fish Food Fish Bowls	5.00 10.00 .35 and .50 .75 and	Pkt60 .50 .15 1.50
Common, Fan Tail, Black Moor, and Chebunkin Fish from 15c Aquarium 3.50 Aquarium Cement Aquarium Ornaments and Shells Bishop's Wafer Fish Food Fish Bowls Fish Moss	.50 .75 and .25 and	Pkt. .60 .50
Common, Fan Tail, Black Moor, and Chebunkin Fish from 15c Aquarium 3.50 Aquarium Cement Aquarium Ornaments and Shells Bishop's Wafer Fish Food Fish Bowls Fish Moss Fish Nets	5.00 10.00	Pkt60 .50 .15 1.50 .10 .50 .35
Common, Fan Tail, Black Moor, and Chebunkin Fish from 15c Aquarium	5.00 10.00	Pkt60 .50 .15 1.50 .10 .50 .35 .15
Common, Fan Tail, Black Moor, and Chebunkin Fish from 15c Aquarium	.35 and .50 .75 and .25 and .15 and	Pkt60 .50 .15 1.50 .10 .50 .35 .15
Common, Fan Tail, Black Moor, and Chebunkin Fish from 15c Aquarium 3.50 Aquarium Cement Aquarium Ornaments and Shells Bishop's Wafer Fish Food Fish Bowls Fish Moss Fish Nets Fungus Remedy and Fish Tonic Medicated Health Fishball Mrs. Halfin's Natural Fish Food Mrs. Halfin's Tropical Fish Food Mrs. Halfin's Turtle Food		Pkt60 .50 .15 1.50 .10 .50 .35 .15 .50
Common, Fan Tail, Black Moor, and Chebunkin Fish from 15c Aquarium 3.50 Aquarium Cement Aquarium Ornaments and Shells Bishop's Wafer Fish Food Fish Bowls Fish Moss Fish Nets Fungus Remedy and Fish Tonic Medicated Health Fishball Mrs. Halfin's Natural Fish Food Mrs. Halfin's Tropical Fish Food Spratt's Granulated Fish Food	.35 and .50 .75 and .25 and .15 and	Pkt60 .50 .15 1.50 .10 .50 .35 .15 .15
Common, Fan Tail, Black Moor, and Chebunkin Fish from 15c Aquarium 3.50 Aquarium Cement Aquarium Ornaments and Shells Bishop's Wafer Fish Food Fish Bowls Fish Moss Fish Nets Fungus Remedy and Fish Tonic Medicated Health Fishball Mrs. Halfin's Natural Fish Food Mrs. Halfin's Tropical Fish Food Mrs. Halfin's Turtle Food Spratt's Granulated Fish Food Turtle Bridges	.35 and .50 .75 and .25 and .15 and	Pkt60 .50 .15 1.50 .10 .50 .35 .15 .15
Common, Fan Tail, Black Moor, and Chebunkin Fish from 15c Aquarium 3.50 Aquarium Cement Aquarium Ornaments and Shells Bishop's Wafer Fish Food Fish Bowls Fish Moss Fish Nets Fungus Remedy and Fish Tonic Medicated Health Fishball Mrs. Halfin's Natural Fish Food Mrs. Halfin's Tropical Fish Food Spratt's Granulated Fish Food	.35 and .50 .75 and .25 and .15 and	Pkt60 .50 .15 1.50 .10 .50 .35 .15 .15
Common, Fan Tail, Black Moor, and Chebunkin Fish from 15c Aquarium	.35 and .50 .75 and .25 and .15 and	Pkt60 .50 .15 1.50 .10 .50 .35 .15 .15 .15
Common, Fan Tail, Black Moor, and Chebunkin Fish from 15c Aquarium	.35 and .50 .75 and .25 and .15 and .15 and	Pkt60 .50 .15 1.50 .10 .50 .35 .15 .15 .15 .25
Common, Fan Tail, Black Moor, and Chebunkin Fish from 15c Aquarium	.35 and .50 .75 and .25 and .15 and .15 and	Pkt60 .50 .15 1.50 .10 .50 .35 .15 .15 .25
Common, Fan Tail, Black Moor, and Chebunkin Fish from 15c Aquarium	.35 and .35 and .25 and .15 and .15 and	Pkt60 .50 .15 1.50 .10 .50 .35 .15 .15 .15 .25
Common, Fan Tail, Black Moor, and Chebunkin Fish from 15c Aquarium		Pkt60 .50 .15 1.50 .15 .35 .15 .15 .25 .70 .75 1.00
Common, Fan Tail, Black Moor, and Chebunkin Fish from 15c Aquarium	.50 .75 and .25 and .15 and .15 and .50 .85	Pkt60 .50 .50 .15 1.50 .35 .15 .15 .15 .25 .70 .75 1.00 2.75
Common, Fan Tail, Black Moor, and Chebunkin Fish from 15c Aquarium	.50 .75 and .25 and .15 and .50 .75 and .25 and .15 and .15 and .85 .85	Pkt60 .50 .15 1.50 .15 .15 .15 .15 .25 .70 .75 1.00 2.75 1.50
Common, Fan Tail, Black Moor, and Chebunkin Fish from 15c Aquarium	.50 .75 and .50 .75 and .15 and .15 and .15 and .15 and .75 and	Pkt60 .50 .50 .15 1.50 .35 .15 .15 .15 .25 .70 1.50 2.75 1.50
Common, Fan Tail, Black Moor, and Chebunkin Fish from 15c Aquarium		Pkt. .60 .50 .15 1.50 .10

POULTRY REMEDIES AND SUPPLIE Dr. Hess Chick Tablets (Diarrhea) Dr. Hess Coxitrol	*************	25	.50 1.60
Dr. Hess Dip and Disinfectant			
Dr. Hess Drycide			
Dr. Hess Fly Spray			
Dr. Hess Hog Special			
Dr. Hess Hessklor, 45% Emulsifiable Chlordane			
Dr. Hess Hesspray, Oil Type for Livestock			
Dr. Hess Hogoyl, contains Benzene Hexachloride			
Dr. Hess House Spray, contains DDT			
Dr. Hess Liquid Louse Killer			
Dr. Hess Medicated (Healing) Powder			
Dr. Hess Nicozine Tablets			
Dr. Hess Nicozine Powder			
Dr. Hess NFZ, for Coccidiosis and Pullorum			
Dr. Hess Pelguns, for PTZ Pellets			
Dr. Hess Pol, a dehorner			
Dr. Hess Poultry Pan-A-Min.			
Dr. Hess Poultry Fan-A-Min. Dr. Hess Poultry Sulfa Liquid			
Dr. Hess Poultry Sulfa Powder			
· ·			
Dr. Hess Poultry Tablets (Roup)			
Dr. Hess PTZ Pellets			
Dr. Hess PTZ Powder			
Dr. Hess Powdered Louse Killer			
Dr. Hess Six, Roost Paint and Mite Spray			
Dr. Hess SKP Liquid			
Dr. Hess Sofenate			
Dr. Hess Stock Spray, contains DDT Emulsion			
Dr. Hess Stock Tonic			
Dr. Hess Udder Ointment			
Dr. Hess Vermi-Tabs			
Dr. Hess Weed Killer, 14% 2, 4-D, Amine Salt Product			
Germo Cholerine Liquid			
Glass Nest Eggs			3 for
Lee's Blitspray			
Lee's Dip and Disinfectant			75
Lee's Dri-Rub			
Lee's Germozone	40 .	75 1.50	2.50
Lee's Gizzard Capsules, Adult			75
Lee's Gizzard Capsules, Chick			40
Lee's Gizzard Capsules, Pullet			50
Lee's Hog Oil Wormer			
Lee's Lice Killer			
Lee's Louse Powder, 1 lb. can			
Lee's Mite Killer, Liquid			
Lee's Perch Paint			
Lee's Pickpaste, for cannabalism			
Lee's Pinjectol			
Lee's Poultry Dosing Syringe, 1 oz. capacity			
Lee's Poultry Nasal Syringe, for Head Colds			
Lee's Tonax, tonic			30 .75
Lee's Vapo-Spray	.50	75 1.2	5 2.00
Lices value surav			

POULTRY REMEDIES AND SUPPLIES—Continued

	iuea		
Poultry Leg Bands, Aluminum, 12 bands			20
Poultry Leg Bands, Aluminum, 50 bands			60
Poultry Leg Bands, Aluminum, 100 bands			
Poultry Leg Bands, Celluloid, 12 bands			
Poultry Leg Bands, Celluloid, 50 bands			
Poultry Leg Bands, Celluloid, 100 bands			
Pratts Animal Regulator			
Pratts C-Ka-Gene			2.75
Pratts Chick Tablets			8.50
Pratts Disinfectant for Dipping and Spraying			
Poultry and Stock	,50	.75	1.85
Pratts Hog Powder			3.60
Pratts Pheno-Thi-Azine			2.75
Pratts Poultry Inhalant			3.25
Pratts Poulty Regulator			12.00
Pratts Poultry Worm Powder			5.00
Pratts Powdered Lice Killer			5 .70
Pratts Roost Paint (Kills Poultry Lice)			2.50
Pratts R-P Tablets (Formerly Roup Tablets)			.50
Pratts "Split-Action" Worm Capsules, Adult			10.00
Pratts "Split-Action" Worm Capsules,	1.50	0.00	10.00
Chick and Small Pullet	1.00	3.75	6.50
Pratts Zene-A-trol			2.00
Sodium Fluoride			
Walko Poultry Tablets			
	***	50	1.00
MISCELLANEOUS.			
Ant-X			
Appo Cut Worm Bait			
Bar Sprout, keeps potatoes from sprouting in storage			
Cemetery Wreathes and Decorations, Fall			
Crab Grass Rakes			2 50
Cyclone Seeders			
Cyclone Seeders El Vampiro			15
Cyclone Seeders El Vampiro Fehr's OGK Rabbit Germicide	••••••	••••••••	15
Cyclone Seeders El Vampiro Fehr's OGK Rabbit Germicide Fehr's Liquid-Sulpho Compound			15 50 50
Cyclone Seeders El Vampiro Fehr's OGK Rabbit Germicide Fehr's Liquid-Sulpho Compound Fertilizer Spreaders		4.75	15 50 50 9.00
Cyclone Seeders El Vampiro Fehr's OGK Rabbit Germicide Fehr's Liquid-Sulpho Compound Fertilizer Spreaders Force's Mole Killer		4.75 25 and	15 50 50 9.00
Cyclone Seeders El Vampiro Fehr's OGK Rabbit Germicide Fehr's Liquid-Sulpho Compound Fertilizer Spreaders		4.75 25 and	15 50 50 9.00
Cyclone Seeders El Vampiro Fehr's OGK Rabbit Germicide Fehr's Liquid-Sulpho Compound Fertilizer Spreaders Force's Mole Killer Good-Air Bombs, air purifier for homes, kennels, etc. Grafting Wax—½ lb.		4.75 25 and 1.00	15 50 50 9.00 1 .50 2.00 60
Cyclone Seeders El Vampiro Fehr's OGK Rabbit Germicide Fehr's Liquid-Sulpho Compound Fertilizer Spreaders Force's Mole Killer Good-Air Bombs, air purifier for homes, kennels, etc.		4.75 25 and 1.00	15 50 50 9.00 1 .50 2.00 60
Cyclone Seeders El Vampiro Fehr's OGK Rabbit Germicide Fehr's Liquid-Sulpho Compound Fertilizer Spreaders Force's Mole Killer Good-Air Bombs, air purifier for homes, kennels, etc. Grafting Wax—½ lb.	n \$1	4.75 25 and 1.00	
Cyclone Seeders El Vampiro Fehr's OGK Rabbit Germicide Fehr's Liquid-Sulpho Compound Fertilizer Spreaders Force's Mole Killer Good-Air Bombs, air purifier for homes, kennels, etc. Grafting Wax—½ lb. Hot Caps .25 per doze	n \$1	4.75 25 and 1.00	15 50 50 9.00 d .50 2.00 60 er 100 25
Cyclone Seeders El Vampiro Fehr's OGK Rabbit Germicide Fehr's Liquid-Sulpho Compound Fertilizer Spreaders Force's Mole Killer Good-Air Bombs, air purifier for homes, kennels, etc. Grafting Wax—½ lb. Hot Caps	n \$1	4.75 25 and 1.00	15 50 50 9.00 d .50 2.00 60 er 100 25
Cyclone Seeders El Vampiro Fehr's OGK Rabbit Germicide Fehr's Liquid-Sulpho Compound Fertilizer Spreaders Force's Mole Killer Good-Air Bombs, air purifier for homes, kennels, etc. Grafting Wax—½ lb. Hot Caps	n \$1	4.75 25 and 1.00 1.50 pe	15 .50 .50 9.00 1 .50 2.00 60 er 100 25 25
Cyclone Seeders El Vampiro Fehr's OGK Rabbit Germicide Fehr's Liquid-Sulpho Compound Fertilizer Spreaders Force's Mole Killer Good-Air Bombs, air purifier for homes, kennels, etc. Grafting Wax—½ lb. Hot Caps	n \$1	4.75 25 and 1.00 1.50 pe	15 .50 .50 9.00 1 .50 2.00 60 er 100 25 25
Cyclone Seeders El Vampiro Fehr's OGK Rabbit Germicide Fehr's Liquid-Sulpho Compound Fertilizer Spreaders Force's Mole Killer Good-Air Bombs, air purifier for homes, kennels, etc. Grafting Wax—½ lb. Hot Caps	n \$1	4.75 25 and 1.00 1.50 pe	15 .50 .50 9.00 1 .50 2.00 60 er 100 25 25 75 . 1.25 1.00
Cyclone Seeders El Vampiro Fehr's OGK Rabbit Germicide Fehr's Liquid-Sulpho Compound Fertilizer Spreaders Force's Mole Killer Good-Air Bombs, air purifier for homes, kennels, etc. Grafting Wax—½ lb. Hot Caps	n \$1	4.75 25 and 1.00 1.50 pe	15 .50 .50 9.00 1 .50 2.00 60 er 100 25 25 75 . 1.25 1.00 25
Cyclone Seeders El Vampiro Fehr's OGK Rabbit Germicide Fehr's Liquid-Sulpho Compound Fertilizer Spreaders Force's Mole Killer Good-Air Bombs, air purifier for homes, kennels, etc. Grafting Wax—½ lb. Hot Caps	n \$1	4.75 25 and 1.00 1.50 pe	15 .50 .50 9.00 1 .50 2.00 60 er 100 25 25 75 . 1.25 1.00 25
Cyclone Seeders El Vampiro Fehr's OGK Rabbit Germicide Fehr's Liquid-Sulpho Compound Fertilizer Spreaders Force's Mole Killer Good-Air Bombs, air purifier for homes, kennels, etc. Grafting Wax—½ lb. Hot Caps	n \$1	4.75 25 and 1.00 1.50 pe	15 .50 .50 9.00 1 .50 2.00 60 er 100 25 25 1.00 25 1.25 1.25 2.00
Cyclone Seeders El Vampiro Fehr's OGK Rabbit Germicide Fehr's Liquid-Sulpho Compound Fertilizer Spreaders Force's Mole Killer Good-Air Bombs, air purifier for homes, kennels, etc. Grafting Wax—½ lb. Hot Caps Log Tamper, paper Jim Dandy Rat and Mice Killer K. R. O. Kills Rats Only (Not a poison) Leaf Rakes, Metal Mole-Nots Mouse-Nots Mologen, Mole Poison Nomole, Poison to kill moles, ground squirrels, and small rodents Pastoxine. A non-poisonous exterminator of rats and mice	n \$1	4.75 25 and 1.00 1.50 pe 35 5 and	15 .50 .50 9.00 1 .50 2.00 .60 er 100 .25 .25 .75 .1.25 1.00 .25 .25 25
Cyclone Seeders El Vampiro Fehr's OGK Rabbit Germicide Fehr's Liquid-Sulpho Compound Fertilizer Spreaders Force's Mole Killer Good-Air Bombs, air purifier for homes, kennels, etc. Grafting Wax—½ lb. Hot Caps	n \$1		15 .50 .50 9.00 1 .50 2.00 2.00 2.5 .25 .75 1.25 1.00 .25 .25 .00 .60 r doz.

MISCELLANEOUS—Continued	
Polar Naptholene Moth Flakes	.30
Rabbit Chaperone, keeps rabbits away from trees, shrubs and plants	1.00
Rabbit Feeders, heavy crockery	.35
Rabbit Repellant, for gardens and flowers	.45
Rabbit Salt	.05
Rabbit Waterers	.35
Raffia, Natural, for tying plants, 1 lb.	1.50
Rat-Nots	.35
Roach-Nots	.35
Rootone, for cuttings	.25
Rubber Bands, Sizes 10, 12, 14, 16	rices
Sanaseed Mouse Poison	.25
Sewing Needles for seed bags	.25
Smith's Rodent Destroyers for Moles	.15
Sodium Fluoride Roach Powder	.35
Sulphur Candles	.15
Skeet-Check	.35
South American Ant Poison	
Transplantone	1.00
Twistems, for tying up plants, bushes	
Weed Wand, hand applicator for 2, 4-D	
6-12, Mosquito and Chigger Insect Killer	

NEW IN VEGETABLES

Burpee Hybrid Cucumber No. 370

This is a new white spine, slicing type, with large fruit of rich dark green, 8 inches long, 2½ inches wide, with blunt ends and small seed cavity. The crisp white flesh is of good quality and delicious flavor. Ready for use in 60 days.

Burpee Hybrid Tomato No. 1132

Fruits are medium to large, firm, thick walled, globular shape and scarlet to red in color. Flesh is meaty and rich flavored. Average weight, 8 ounces. An early mid-season hybrid producing 20% more than popular varieties. Ready in 70 days. Fordhook Hybrid Tomato No. 1121

Fordhook is an early prolific hybrid noted for its smooth medium size fruits of even red color. Averages 6 ounces in weight, is oblate to globular in shape, mildly acid and sweet in flavor. Bears profusely through entire season. Ready in 60 days.

Clinton Hybrid Tomato No. 680

Fruits are round, slightly flattened at the top and bottom, and possess an excellent red skin and flesh color. Average weight, 8 ounces. It has large dark green plants, with dense foliage, and is in season with Marglobe and Rutgers. Ready in 75 days. Giant Tree Tomato

This is a smooth round dark red tomato of amazing vigor with plants 10 feet high. Fruits are firm and non-acid flavored, solid, with small seed cavity. Average weight, 1 to 1½ pounds. It has potato leaves and is sometimes called Italian Potato Leaved.

Jubilee Tomato No. 1111
Orange skinned, orange fleshed, Jubilee compares favorably with the best of the red varieties in shape, smoothness, quality and solidity. Fruits are large, globular, thick walled, with few seeds. Ready in 72 days.

TERRA-LITE OR VERMICULITE

Wonder Aid For Gardens

Improves Soil Texture—Grows Stronger Seedlings—Mulches Plants Safely—Roots Cuttings Faster—Makes Bulb Forcing Easier—Protects Stored Bulbs—Cannot Rot—Absorbs Eight Times Its Weight In Water—Can Be Dried and Re-Used.

50c per ½ peck or 1½ lb.

16 qts. or 4 lbs. \$1.00 \$2.50 per ½ bushel.

FLAT-PAK PLANT FORCER — PORTABLE HOT-BED

Stainless Steel — Non-Corrosive — Chemical Resistant — Weather Proof — Adjustable, Plastic Window — Grooved for Sun Lamp Cords — Lasts a Lifetime—\$15.95

ORDER SHEET

QUINLAN SEED STORE

317 Wabash Avenue Terre Haute, Indiana

					Country		
Post (Office				County	4 .	
					Co. of Express Office Sta		1
					Draft \$Cash \$Stam		
for w	nich sei	nd to a	.ddress	above	the list of seed, etc., forwarded by		1
	***********		**********		State here if wanted by mail, expres	s or fr	eight.
Bus.	Pecks	Lbs.	Oz.	Pkts.	NAMES OF ARTICLES WANTED	Dols.	Cts.
							, 1 1
							1
							1
							1
	-						

QUINLAN SEED STORE

317 Wabash Avenue Terre Haute, Indiana

Name						••••••	
Post Office					County		
Express Office					Co. of Express Office State		
					Draft \$Cash \$Stamps \$		
					e the list of seed, etc., forwarded by		
					State here if wanted by mail, expres		
	1	1	1	1	II I		
Bus.	Pecks	Lbs.	Oz.	Pkts.	NAMES OF ARTICLES WANTED	Dols.	Cts.
	-						
					+		
-							
		Q.					
	-						
		, 11					
P							
						- {	

